

## **Hand truck buyer's guide: Why aluminium outweighs steel.**



### **It's a better value.**

Magliner aluminium hand trucks match steel load for load. They're just as strong so you can carry as much, or more, per load.

They last longer and cost you less money in the long run. Our modular design lets you customize your own hand truck so they're better matched to the job. Repair costs are slashed. And aluminium never rusts.

### **It's easier to use.**

We've designed our aluminium hand trucks around your needs. Because they're lighter than steel, Magliner trucks make tough handling jobs easier. You get better efficiency and more productivity. Injury-related losses like disability time and worker's compensation decline.

### **All-in-all, you get a better hand truck.**

To get a better hand truck, call your Magliner distributor, or call us.

We Gladly Accept



*Proudly distributed by*

**RJ Cox Engineering**

[www.coxengineering.com.au](http://www.coxengineering.com.au)

[info@coxengineering.com.au](mailto:info@coxengineering.com.au)

Ph: 02) 9114 6867

Fax: 02) 9486 3009

# Modular aluminium hand trucks: Long-lasting value.



111A815

## STRAIGHT BACK

### 111U1035

General use, straight back, pram handle, 457mm x 190mm Nose, 250mm pneumatic wheels  
Capacity 225kg  
Unit Weight 12kg

### 111A815

General use, curved back, pram handle, 355mm x 190mm Nose, 200mm rubber wheels  
Capacity 225kg  
Unit Weight 8kg



116A815


## STRAIGHT BACK

### 116U1035

General use, straight back, double grip handle with U-extensions, 457mm x 190mm Nose, 250mm pneumatic wheels  
Capacity 225kg Unit Weight 12kg

### 116A815

General use, straight back, double grip handle with U-extensions, 355mm x 190mm Nose, 200mm rubber wheels  
Capacity 225kg  
Unit Weight 8kg



511U1035

## CURVED BACK

### 516A815

Multi use, curved back, double grip handle with U-extensions, 355mm x 190mm Nose, 200mm rubber wheels  
Capacity 225kg Unit Weight 8kg

### 511U1035

Multi use, curved back, pram handle, 457mm x 190mm Nose, 250mm pneumatic wheels  
Capacity 225kg  
Unit Weight 12kg



516U1035


## CURVED BACK

### 516U1035


Multi use, curved back, double grip handle with U-extensions, 457mm x 190mm Nose, 250mm pneumatic wheels  
Capacity 225kg Unit Weight 12kg

### 511A815

Multi use, curved back, pram handle, 355mm x 190mm Nose, 200mm rubber wheels  
Capacity 225kg  
Unit Weight 8kg



Straight back model



Curved back model

Magliner aluminium hand trucks weigh as little as 8kg, but have an effective capacity of 225kg. Light weight means less operator strain, fewer injuries and greater productivity.

Lightweight hand trucks are easier to lift on and off delivery trucks and easier to move around in confined spaces.

### Two frame styles for flat and curved loads

Straight back frames (far left) are ideal for boxes and cartons. Curved back frames (left) carry cylindrical objects like drums and kegs safely and easily (see accessories page for options).

We Gladly Accept




*Proudly distributed by*

**RJ Cox Engineering**

[www.coxengineering.com.au](http://www.coxengineering.com.au)  
[info@coxengineering.com.au](mailto:info@coxengineering.com.au)

Ph: 02) 9114 6867  
Fax: 02) 9486 3009

## WHEELS



**815**  
Cast aluminium hubs; 200mm rubber tyres; ball bearings.  
No. 10815

## Accessories




**1035**  
One piece hubs; 250mm pneumatic tyres; ball bearings.  
No. 121035

## FRAME EXTENSION




**52** (pictured)  
1320mm No. 40008  
**60**  
1525mm. To give overall handtruck height. No. 40010

## NOSES



**Type A**  
Cast aluminium or magnesium; 355mm wide, 190mm deep; recessed heel.  
No. 300200



**Type U**  
Cast aluminium or magnesium; 460mm wide, 190mm deep; recessed heel.  
No. 300201

## STAIR CLIMBER



**No. C5**  
Cast aluminium with replaceable polymer skid bars.  
No. 86006

## HANDLES



**11**  
'U' loop; easy to use.  
No. 301000



**16**  
Double grip with extension.  
No. 86031

## RETRACTABLE 4th WHEEL



125mm caster wheels support load in inclined position.  
No. 301050

## FOLDING NOSE EXTENSIONS



**No. F1**  
600mm formed plate  
301019

**No. F2** (pictured)  
500mm extruded channel  
301025

**No. F3**  
750mm extruded channel  
301026

## KEG HOOK



**No. 301121**  
*Fits curved back models only*  
Better load control. Swings out of way when not in use. Provides load support and stability  
Two hooks available; one for barrel shaped and odd sized kegs, and one for straight kegs.

## FOLDING NOSE PLATE



### **No. 302541 / 300245**

Nose 355mm x 190mm  
Extruded Aluminium  
Fold flush with frame for easier storage  
Convenient, doesn't interfere with front of frame when not in use.

## THE VENDOR SERIES

### **Taking the weight out of heavy vending**

Uniquely designed to handle the largest vending machines, this new model provides positive locks in both the free standing and reclined position, allowing the swing to be locked into position. Special rocker bar allows heavy loads to be broken back with much less effort. This new feature totally eliminates the problem of the load rolling backwards. The truck is available in 2 sizes - 1830mm and 1980mm. The foot operated swing allows freedom of movement with hands and arms while handling the tallest machines. It also provides additional leverage when breaking the vending machine back. The entire load can then be balanced with ease going through a standard door.



Vendor 72 No. HTSV72

### **Vendor 72 & Vendor 78**

Standard with Stair Crawler Treads

Capacity 800kgs



Vendor 78  
No. HTSV78

We Gladly Accept



*Proudly distributed by*

**RJ Cox Engineering**

[www.coxengineering.com.au](http://www.coxengineering.com.au)

[info@coxengineering.com.au](mailto:info@coxengineering.com.au)

Ph: 02) 9114 6867

Fax: 02) 9486 3009

# Film Production Trolley & Accessories



## FILM PRODUCTION TROLLEY

GEMINI JUNIOR OR SENIOR

## RISER RACK

(pictured on top)  
915mm x 266mm x 305mm



## TRIPOD/GRIP CADDY

No. MAGTRIP

710mm x 330mm x 280mm



## REPLACEMENT HANDLE KIT

Part No. 301162



## EXTENDED NOSE

F3 Nose

Supports all workshelves  
No. 301026



## WORKSHELF

MA5183J

Junior

MA5183S

Senior



## CARPETED BED PLATE

302188C

Junior

302185C

Senior



## REPLACEMENT 5" LOCKING CASTER

Part No. 51010



We Gladly Accept



*Proudly distributed by*

**RJ Cox Engineering**

[www.coxengineering.com.au](http://www.coxengineering.com.au)

[info@coxengineering.com.au](mailto:info@coxengineering.com.au)

Ph: 02) 9114 6867

Fax: 02) 9486 3009

**ALUMINIUM 3-POSITION TRUCK****HTTA31U4**



A multi-position hand truck capable of use as a standard two-wheel, inclined four-wheel, or traditional four-wheel platform mode. The 685mm long recessed folding nose provides cargo restraint and stores neatly out of the way for normal two-way operation.

**Two Wheel Position**

Overall height 1295mm Overall width 546mm  
Capacity 225kgs 250mm Pneumatic Tyres  
U nose plate 457 x 190mm Loop Handle  
Recessed folding nose 228mm x 685mm

**Four Wheel Position**

Overall height 1016mm Cargo area 305mm x 1270mm  
Capacity 340kg Weight 19.5kgs 125mm Casters

**BOTTLED WATER HAND TRUCKS****FOLDING TRAY TRUCK**

Folding, self-storing trays permit the hand truck to be used for case goods, coolers, and combinations of bottles and case goods.

**111-H-815 BW**

Overall width 546mm  
Overall height 1245mm  
Weight 11.5kg  
8" cast aluminium tyres  
H nose plate 355mm wide x 305mm deep  
Capacity 225kg  
4 maximum of 5 gallon water bottles

**124-H-1035 BW**

Overall width 546mm  
Overall height 1245mm  
Weight 12.5kg  
10" pneumatic tyres  
H nose plate 355mm wide x 305mm deep  
Capacity 225kg  
4 maximum of 5 gallon water bottles  
Comfort foam handle



**Model No.**  
**124-H-1035 BW**



**Model No.**  
**111-H-815 BW**

We Gladly Accept



*Proudly distributed by*

**RJ Cox Engineering**

[www.coxengineering.com.au](http://www.coxengineering.com.au)  
[info@coxengineering.com.au](mailto:info@coxengineering.com.au)

Ph: 02) 9114 6867  
Fax: 02) 9486 3009



# Gemini™ : Fewer trips with bulky loads

**Carry normal loads, or push a lever, and carry twice the volume in the platform truck mode.**

These convertible aluminium hand trucks double as platform trucks. The Gemini™ Junior and Gemini™ Senior carry normal loads just like standard hand trucks. Simply push a lever, and they instantly convert to platform trucks capable of carrying twice the volume. Doubling the volume eliminates extra trips, speeds deliveries, reduces strain and makes your employees more productive.

Both the Gemini Junior and Senior are versatile general-purpose hand trucks and, in the 4-wheel mode, are ideal for transporting large, bulky or awkward loads like boxes or sacks. The Gemini Junior has a 300kg capacity and the Gemini Senior has a 360kg capacity in the 4-wheel position.

Folding noses are available on both models and stair climbers are available on the Gemini Senior. 250mm pneumatic tyres are standard.



### **Gemini Junior** Model HTGK-1834

Frame width 420mm  
Height as hand truck 1300mm  
Platform bed length 950mm  
Capacity as hand truck 225kg  
Capacity as platform truck 300kg  
Shipping weight 20kg

### **Gemini Senior** Model HTGK-9584

Frame width 420mm  
Height as hand truck 1550mm  
Platform bed length 1300mm  
Capacity as hand truck 225kg  
Capacity as platform truck 360kg  
Shipping weight 22kg



Junior Deck Part No. 302188



Senior Deck Part No. 302185



Four-wheel position with snap on deck



### **Just push the lever.**

It releases the back wheels into the 4-wheel mode.

No tools, fasteners or loose parts.

## **DOUBLE GRIP HANDLES**



**Gemini Junior standard item**  
Standard tubular aluminium handle allows for easy handling of loads.  
Part No. 301162



**Gemini Senior optional item**  
Tubular aluminium handle with red plastic grips help handle the load and reduce risk of injury.  
Part No. 301042



**Part No. 51010**  
Secures Gemini Junior and Senior in stationary position.

**OPTIONAL**

We Gladly Accept



*Proudly distributed by*

**RJ Cox Engineering**

[www.coxengineering.com.au](http://www.coxengineering.com.au)

[info@coxengineering.com.au](mailto:info@coxengineering.com.au)

Ph: 02) 9114 6867

Fax: 02) 9486 3009